Serial No.: 09/788,177 Docket No.: KCC-16,190

AMENDMENTS TO THE CLAIMS

- 1. (Currently Amended) A breathable, stretch-thinned film, comprising a breathable core layer coextruded between two outer skin layers, the core layer comprising:
- a matrix polymer consisting comprising about 50-85% by weight of an ethylene homopolymer or copolymer formed using a Ziegler-Natta catalyst, eptionally in combination with a compatible olefin polymer or copolymer, wherein the and about 15-50% by weight of an ethylene homopolymer or copolymer comprises formed using a single-site-catalyst -formed ethylene polymer;
 - a ealcium-earbonate particulate inorganic filler; and
- a polymer incompatible with the matrix polymer, wherein the polymer incompatible with the matrix polymer is selected from the group consisting of polypropylene homopolymers, polypropylene copolymers containing up to about 10% by weight ethylene or a C₄-C₂₀ alpha-olefin comonomer, nylon, polyester, and combinations thereof, and is present in the film in an amount less than an amount of the matrix polymer.
- 2. (Currently Amended) The stretch-thinned film of Claim 1, wherein the matrix polymer comprises a linear low density polyethylene <u>formed using a Ziegler-Natta catalyst</u>.
- 3. (Currently Amended) The stretch-thinned film of Claim 1, wherein the matrix polymer comprises an ultra low density polyethylene formed using a single-site catalyst.
- 4. (Currently Amended) The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer 2, wherein the matrix polymer comprises an ultra low density polyethylene formed using a single-site catalyst.
- 5. (Currently Amended) The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises a polypropylene homopolymer.

Docket No.: KCC-16,190

- (Currently Amended) The stretch-thinned film of Claim 1, wherein the polymer 6. incompatible with the matrix polymer comprises a propylene-ethylene copolymer containing up to about 10% by weight ethylene.
- 7. (Canceled)
- · (Original) The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises nylon.
- 9. (Original) The stretch-thinned film of Claim 1, wherein the polymer incompatible with the matrix polymer comprises polyester.
- (Previously Presented) The stretch-thinned film of Claim 1, wherein the 10. core layer comprises a laminate waste material which includes the polymer incompatible with the matrix polymer.
- (Original) An absorbent article comprising the stretch-thinned film of Claim 1. 11.
- (Currently Amended) A breathable laminate, comprising a fibrous nonwoven 12. web and a breathable, stretch-thinned film which includes, comprising a core layer coextruded between two outer skin layers, the core layer comprising:

between about 20% and 80% by weight of a matrix polymer consisting essentially of including an ethylene homopolymer or copolymer, optionally in combination with a compatible olefin polymer or copolymer;

between about 20% and 80% by weight of a particulate inorganic filler; and

a laminate waste material including a polymer incompatible with the matrix polymer, wherein the layer includes between about 0.1% and 25% by weight of the polymer incompatible with the matrix polymer;

wherein the fibrous nonwoven web and the polymer incompatible with the matrix polymer each include the same polymer selected from the group consisting of a

Docket No.: KCC-16,190

polypropylene homopolymer, a polypropylene copolymer containing up to about 10% by weight of ethylene or a C₄-C₂₀ alpha-olefin comonomer, or a combination thereof.

- 13. (Original) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises a linear low density polyethylene.
- 14. (Original) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises an ultra low density polyethylene.
- 15. (Original) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises a linear low density polyethylene and an ultra low density polyethylene.
- 16. (Currently Amended) The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer polypropylene homopolymer.
- 17. (Canceled)
- 18. (Currently Amended) The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises a propylene-ethylene copolymer containing up to about 10% by weight ethylene.

19-22. (Canceled)

- 23. (Previously Presented) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises between about 25% and 65% of the core layer.
- 24. (Previously Presented) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises between about 30% and 50% of the core layer.

Docket No.: KCC-16,190

- 25. (Previously Presented) The stretch-thinned film of Claim 12, wherein the particulate inorganic filler comprises between about 35% and 70% of the core layer.
- 26. (Canceled)
- 27. (Previously Presented) The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises between about 1% and 20% of the core layer.
- 28. (Previously Presented) The stretch-thinned film of Claim 12, wherein the polymer incompatible with the matrix polymer comprises between about 2% and 10% of the core layer.

29-30. (Canceled)

- 31. (Original) An absorbent article comprising the stretch-thinned film of Claim 12.
- 32. (Currently Amended) A breathable laminate, comprising a breathable film including a breathable core layer coextruded between two outer skin layers, the core layer comprising:
- a matrix polymer consisting <u>essentially</u> of an ethylene homopolymer or copolymer, optionally in combination with a compatible olefin polymer or copolymer, wherein the ethylene homopolymer or copolymer comprises a single-site-catalyst-formed ethylene polymer;
- a polymer incompatible with the matrix polymer and selected from the group consisting of polypropylene homopolymers, polypropylene copolymers containing up to about 10% by weight ethylene or a C₄-C₂₀ alpha-olefin comonomer, nylon, polyester and combinations thereof: and
- a particulate filler, wherein the polymer incompatible with the matrix polymer is present in the film in an amount less than an amount of the matrix polymer;

Docket No.: KCC-16,190

the laminate further comprising a nonwoven web which includes the polymer incompatible with the matrix polymer.

- 33. (Original) The breathable laminate of Claim 32, wherein the matrix polymer comprises a linear low density polyethylene.
- 34. (Original) The breathable laminate of Claim 33, wherein the matrix polymer further comprises an ultra low density polyethylene.
- 35. (Original) The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises a propylene polymer.
- 36. (Currently Amended) The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises a polypropylene homopolymer.
- 37. (Currently Amended) The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises a propylene-ethylene copolymer containing up to about 10% by weight ethylene.
- 38. (Canceled)
- 39. (Original) The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises nylon.
- 40. (Original) The breathable laminate of Claim 32, wherein the polymer incompatible with the matrix polymer comprises polyester.
- 41. (Original) The breathable laminate of Claim 32, wherein the film comprises a laminate waste material which includes the polymer incompatible with the matrix polymer.

Docket No.: KCC-16,190

- 42. (Original) The breathable laminate of Claim 32, wherein the nonwoven web comprises a spunbond web.
- 43. (Original) The breathable laminate of Claim 32, wherein the nonwoven web comprises a meltblown web.
- 44. (Original) The breathable laminate of Claim 32, wherein the nonwoven web comprises an air laid web.
- 45. (Original) An absorbent article comprising the breathable laminate of Claim 32.
- 46. (Canceled)
- 47. (Previously Presented) The stretch-thinned film of Claim 12, wherein the matrix polymer comprises a single-site catalyst-formed ethylene polymer.